

# COLLECTION



ASIA'S NO.1 PAINT BRAND



#### **Hydro Wood**



Hydro Wood is an environmentally green product formulated with low VOC for interior wood surface. It provides colour to wood surfaces and highlighting the natural wood grains.



#### **Fibercote**



Fibercote is an acrylic water-based paint with non-added lead and mercury. It is specially formulated for fiber cement surface giving it a natural wood look.








#### Micaceous Iron Oxide (MIO)



Stunning metallic matte shades for metal surfaces with good protection. It transforms dullness to liveliness almost instantly.









#### 9000 GLOSS FINISH

A touch of brilliant gloss finish to all wood and metal surfaces.

- Prevent wood from rotting
- Prevent metal from rusting
- Excellent gloss retention
- Long lasting colour




Aquatec Red Oxide Primer









All colours shown are as close to the actual Nippon Paint colours as modern printing techniques permit, Please refer to the actual colour chips in this card to choose your colours, To check product and finishing, kindly refer to product selector chart behind.

**Note**: Colours representations on website may vary from actual paint colours. Visit your nearest Nippon Paint Colour Creations outlet(s) to get a physical colour card to confirm your colour choices.

## INIPPON PAINT

#### **TIMBERSHADE**

Water-based paint for wood and galvanised surface.

- Environmental-friendly
- Easy to apply • Fast dry











Copper Bell R 1387D Painted Frame N 1904A



edford AC 213

AC 2137A Silhouette Gray




### Pigmented Varnish


Translucent pigmented varnish provides colour to wood surfaces, highlighting the natural wood grain.







All colours shown are as close to the actual Nippon Paint colours as modern printing techniques permit, Please refer to the actual colour chips in this card to choose your colours.







T145

Raw Timer

T155

Violet Vest

T165

Blue Green

T144



#### **Product Selector Chart:**

			WOOL	AND	1ETAL			W	OOD ON	ILY
			SOLVENT-BASED	)		<b>(</b> ) WATE	ER-BASED	Solvi     Solvi	ENT-BASED	<b></b> WATER-BASE
TOP COAT	Odourlite Gloss Finish	Odourlite Soft Matt Finish	9000 Gloss Finish	Q-Lac Gloss Finish	Platone High Gloss	Timbershade	Hydro Finish	1 Pack PU	Timber Finish	Hydro Wood
Tintable Via			5,555 , 111,511	9,033 1 111311	_	reations <sup>®</sup>				
Exterior / Interior	FINISH		EKT INT	EXT (NT)	EXT (INT	EXT (NT	INT		EIT INT	
Finishing	Gloss	Soft Matt	Gloss	Gloss	Gloss	Soft Matt	Gloss / Soft Matt	Gloss	Gloss	Satin
GREEN		ONMEN		-		-	31337	5,133	31000	34111
Green Choice						6	88			66
Low Odour	6	<b>6</b>				6	66			66
Non Added Lead & Chrome	6	В	6	6	В	6	6	6	6	6
	FUNCT	IONAL	BENE	FITS						
Product Highlights	Low odour with excellent gloss finish	Low odour with luxurious soft matt finish	Durable with excellent gloss finish	Easy to apply with excellent gloss finish	Easy to apply with excellent gloss finish	Specially formulated for fiber cement board, wooden & galvanised iron	Environmental- friendly green paint for wood and metal	Specially designed for floor with high durability	Decorative pigmented varnish that highlights natural wood grains	Water-based varnish with excellent scratch resistance
Scratch Resistance				•	•		•	00		00
Transparency / Clarity										
Yellowing Resistant						00	000	•	•	000
Chemical Resistant*				•	•	•	•			•
UV Resistant		•		•	•	•		•	•	
Good Flexiblity	<b>②</b>	•		€	•	•	•		♦	•
Prevent Wood from Rotting	•	•	•	•	•	•	•	•	•	•
Water Resistant	•	•	•	•	•	•	•	•	•	•
	APPLIC	CATION	I DATA							
Theoretical Coverage per litre (m²)	9-11m²	9-11m²	9-11m²	9-11m²	9-11m²	10-12m²	9-11m²	10-12m²	10-12m²	7-11m²
Recommended Number of Coats	2	2	2	2	2	2	2-3	2-3	2-3	2-3

Recommended Primer:									
	WOOD AND METAL	METAL	HIGH PERFORMANCE METAL						
SOLVENT-BASED	9000 Aluminium Wood Primer 9000 Undercoat  Economy Undercoat Undercoat	Red Oxide Primer	Zinc Phosphate Primer  Etching Primer 120 (Aluminium, Galvanized Iron, Galvanized Steel)						
<b>♦</b> WATER-BASED	Hydro-Primer	Aquatec Red Oxide Primer							

NOTE:





Main Benefit Exterior Interior





<sup>\*</sup> Includes water, grease, alcohol, coffee, heat test at 85 degree celsius & acetone,
For more product information, refer to Technical Data Sheet on our website or contact customer careline.