NIPPON PAINT

THE ULTIMATE PAINT FOUNDATION

CREATE YOUR MOST BEAUTIFUL HOME

A DURABLE, SMOOTH & FLAWLESS FINISH WITH
SEALER, PRIMER & UNDERCOAT



CONTENTS

UNDERSTAND YOUR FOUNDATION & SURFACE	**3-4**
SEALER	
PRIMER	
UNDERCOAT	
SPECIAL SOLUTIONS	
SURFACE TYPES & FOUNDATION SELECTION	
FOUNDATION: WALL SEALER	**5-6**
FOUNDATION FOR COMMON WALL PROBLEMS	**7-8**
FOUNDATION: WOOD & METAL PRIMER	**9**
FOUNDATION: WOOD & METAL UNDERCOAT	**10**
FOUNDATION: SPECIAL SURFACE	**11-12**
COMPLETE YOUR COATING SYSTEM	**13**
PRODUCT SELECTOR CHART	**14**

NIPPON PAINT

UNDERSTAND YOUR FOUNDATION & SURFACE

Understanding your foundation & surface is the first step for a long-lasting & beautiful finish.



70% of a beautiful finish starts with the right foundation.

Most paint performance depends on proper surface preparation and the right foundation coat.

Excellent Adhesion
Creates a strong bond between surface & paint for a smooth, long-lasting finish.

Rich Colour Appearance
Ensure vibrant, long-lasting hue that remain rich & clean.

Stains & Alkaline Resistance
Protect against surface stains & alkaline.

Good Moisture Resistance
Reduce uneven absorption on new walls.

A durable paint finish begins with proper surface preparation.
The right foundation helps improve adhesion, control surface absorption, and support long-lasting paint performance.

Foundation Solutions

1 SEALER
Protects masonry walls from moisture and surface imperfections.

2 PRIMER
Promotes strong adhesion and protects wood and metal from rusting.

3 UNDERCOAT
Provides a smooth foundation to a flawless finish for your wood and metal.

4 SPECIAL SOLUTIONS
Innovations that go beyond aesthetics and problem-fixing.
(e.g. tile, slate & stone, aluminium & metal, crack repair)

What Are You Painting?

Whether you're painting new walls, repainting existing surfaces, or coating wood, metal or special surfaces, identify your surface first to choose the right foundation for a lasting finish.

EXTERIOR WALLS



NEW WALLS
Fresh concrete or plaster surfaces that have never been painted before.



REPAINTING WALLS
Previously painted surfaces in good condition and ready for repainting.

INTERIOR WALLS



NEW WALLS
Fresh plastered surfaces that have never been painted before.



REPAINTING WALLS
Previously painted surfaces in good condition and ready for repainting.

OTHER SURFACES



WOOD
For solid colour or clear finish applications.



METAL
For protection and finishing of metal substrates.



SPECIAL SURFACES
Tiles, waterproofing areas, cracks and enhancement applications.

Choose The Right Foundation

Exterior & Interior Walls
Foundation Required: Sealer
General Walls: page 5-8

Wood Surfaces (Solid Colour Finish)
Foundation Required: Primer + Undercoat
Wood Surfaces: page 9-10

Metal Surfaces
Foundation Required: Primer + Undercoat
Metal Surfaces: page 9-10

Special Surfaces
Foundation Required: Special Solutions
Special Surfaces: page 11-12

NIPPON PAINT

FOUNDATION WALL SEALER

For new and repainting walls in good condition.



NEW
ULTRA PREMIUM SEALERS
★★★★★

8100 WEATHERBOND® SEALER

EXTERIOR

Scan To Watch Video

- Efflorescence & Alkaline Resistance
- Excellent Adhesion
- Excellent Spattering Resistance
- Excellent Hiding
- Promotes Richer Colour Appearance

NEW *with colour enhancer (5L)*

8100 Weatherbond® Sealer Colour Enhancer

**recommended for strong and vibrant colour*

8200 PREMIUM INTERIOR SEALER

INTERIOR

Scan To Watch Video

- Provides a Luxuriously Smooth Finish
- Excellent Adhesion
- Excellent Spattering Resistance
- Excellent Hiding
- Promotes Richer Colour Appearance

NEW *with colour enhancer (1L)*

8200 Premium Interior Sealer Colour Enhancer

**recommended for strong and vibrant colour*

WALL SEALER RANGE

Protect your walls with the right solution for every need.

PRODUCT SELECTION	PRODUCT HIGHLIGHTS	LOW ODOUR	AREA
5100 WALL SEALER	↘ Excellent efflorescence & alkaline resistance ↘ Excellent hiding ↘ Promotes rich colour appearance	✓	EXTERIOR
5500 WALL SEALER	↘ Excellent efflorescence & alkaline resistance ↘ Good hiding ↘ Good adhesion	✓	EXTERIOR
5400 EXTERIOR SEALER	↘ Excellent efflorescence & alkaline resistance ↘ Good hiding	✓	EXTERIOR
5200 WALL SEALER	↘ Excellent hiding ↘ Excellent adhesion ↘ Provide luxuriously smooth finish	✓	INTERIOR
3200 INTERIOR SEALER	↘ Good hiding ↘ Good adhesion ↘ Promotes richer colour appearance	✓	INTERIOR
8000 EXPRESSKOTE SEALER	↘ Suitable for Fresh Concrete *(3 Days After Plastering Under Specific Condition)* ↘ Excellent Efflorescence Resistance ↘ Excellent Alkaline Resistance ↘ Excellent Adhesion	✓	EXTERIOR, INTERIOR

EXTERIOR INTERIOR

FOUNDATION FOR COMMON WALL PROBLEMS

Identify the issue and choose the right solution before painting.

Having problems with your walls?

If your walls are showing these symptoms, **DONT WORRY!**
Solve these common wall problems with our special formulated products!

EFFLORESCENCE *for new wall & repainting wall*






8000 EXPRESSKOTE SEALER

WATER-BASED

- Suitable for Fresh Concrete
  (3 Days After Plastering Under Specific Condition)
- Excellent Efflorescence Resistance
- Excellent Alkaline Resistance
- Excellent Adhesion

WATERMARK *for repainting wall*





ACRYLIC 5170 WALL SEALER

SOLVENT-BASED

- Good Efflorescence & Alkaline Resistance
- Good Adhesion
- Good for Chalky & Powdery Surfaces

PEELING *for repainting wall*






HI-BOND WALL SEALER

SOLVENT-BASED

- Good for Skim Coat & Powdery Surfaces
- Promotes Better Adhesion
- Fast Dry

FUNGUS *for repainting wall*






FUNGICIDAL WASH

WATER-BASED

- Kills 99.9% Fungus Effectively
- Prevent Fungus Growth
- Allows 24 Hours *(Minimum)* remain on the surface

WHITE PATCHES *for new wall & repainting wall*






ANTI-WHITE PATCHES WALL SEALER

SOLVENT-BASED

- Anti-White Patches
- Excellent Moisture Resistance
- Excellent Alkaline Resistance
- Excellent Sealing Properties

POWDERY SURFACE *for repainting wall*






ECO-BOND WALL SEALER

WATER-BASED

- Design to Apply on Skim-Coated & Plastered Wall
  (Dilute 1 part of paint to 1 part of water before application)
- Anti-peeling
- Ultra Low Odour

DIRT STREAK MARK *for new wall & repainting wall*





NANO CLEAN CLEAR COAT

WATER-BASED

- Keep Clean
- Dirt Resistance
- UV Resistance

HAIRLINE CRACKS *for new wall & repainting wall*





FLEXISEAL ELASTOMERIC MEMBRANE

WATER-BASED

- Highly Flexible Sealer
- Good Crack-bridging
- Excellent Water Resistant

WOOD & METAL PRIMER

Primers improve adhesion and protect wood and metal surfaces from corrosion, moisture and premature coating failure.

WOOD SURFACES
Promotes strong adhesion



BEFORE AFTER

METAL SURFACES
Protect against rust & corrosion



BEFORE AFTER

PRODUCT SELECTION	PRODUCT HIGHLIGHTS	PAINT TYPE	SURFACE
 ZINC PHOSPHATE PRIMER FD	↘ Anti-rust properties ↘ Fast-drying ↘ Available in reddish brown, grey green & light grey colour	SOLVENT-BASED	WOOD, METAL
 RED OXIDE PRIMER	↘ Fast-drying ↘ Available in reddish brown ↘ Suitable for iron & steel surfaces	SOLVENT-BASED	METAL
 9000 ALUMINIUM WOOD PRIMER	↘ Good moisture resistance ↘ Good levelling for wood substrate	SOLVENT-BASED	WOOD
 HYDRO WOOD & METAL PRIMER	↘ Excellent anti-corrosion on iron & steel surfaces ↘ Excellent adhesion on wood & metal surfaces ↘ Easy application on wood & metal surfaces	WATER-BASED	WOOD, METAL

WOOD METAL

Anti-corrosion Performance

BEST RECOMMENDED
Zinc Phosphate Primer FD > Red Oxide Primer > Hydro Wood & Metal Primer

WOOD & METAL UNDERCOAT

Undercoat improve build, coverage and surface smoothness, helping the topcoat achieve a more uniform and durable finish.

WOOD SURFACES
Provides a smooth foundation to a flawless finish



BEFORE AFTER


METAL SURFACES
Better opacity and coverage



BEFORE AFTER

PRODUCT SELECTION	PRODUCT HIGHLIGHTS	PAINT TYPE	SURFACE
 ODOURLITE UNDERCOAT	↘ Good hiding & build ↘ No added lead & mercury ↘ Long-lasting	SOLVENT-BASED	WOOD, METAL
 9000 SPEED UNDERCOAT	↘ Excellent hiding & good build ↘ Good levelling & sandability ↘ Fast-drying	SOLVENT-BASED	WOOD, METAL
 ECONOMY UNDERCOAT	↘ No added lead & mercury ↘ Long-lasting ↘ Fast-drying	SOLVENT-BASED	WOOD, METAL

WOOD METAL




BEFORE YOUR TOPCOAT

Apply the undercoat after your primer and before your final topcoat for maximum durability and flawless finish for your wood and metal.

FOUNDATION

SPECIAL SURFACE

Some surfaces require more than a standard foundation. Explore specialised products designed to prepare, protect and enhance different surfaces for long-lasting performance.



Looking for solutions beyond basic painting?

Explore specialised products for different surfaces.

Complete Range of Special Function Products

Designed to repair, protect, and enhance various surfaces, these specialised products complement your coating system for better performance and durability.

WALL REPAIR & SURFACE PREPARATION

EASYSKIM PLUS 2000
Repairs hairline cracks and smoothens uneven plastered walls.
- Effective for **hairline cracks (<0.3mm)**
- Flexible to reduce recurring cracks
- Weather resistant

| 5KG

CRACKREPAIR 1000
Ready-to-use filler for repairing cracks and surface imperfections.
- Effective for **medium cracks (0.3mm – 2mm)**
- Flexible to reduce recurring cracks
- Weather resistant

| 1.5KG & 5KG

EASYSKIM 5000 ALL PURPOSE JOINT COMPOUND
Smoothens wall surfaces before painting.
- Excellent workability & sandability
- Smooth and excellent finishing
- Ready-to-use skimcoat

| 5KG & 25KG

PRIMING FOR SPECIAL SURFACES

TILE PRIMER
Allows repainting on glazed tiles with strong adhesion.
- Great for repainting tiles (ceramic and glazed)
- Excellent adhesion on many type of substrate
- Low odour with little to no smell

| 2.5L & 5L

SURFACE ENHANCEMENT

SLATE FINISH
Protects and enhances natural stone surfaces.
- UV protection
- Fungus and algae resistance
- Maintain new look of substrate

| 1L, 5L & 15L

NANO CLEAN CLEAR COAT
Helps prevent dirt streak marks on exterior walls.
- Excellent resistance to dirt penetration
- Promotes self cleaning
- Good UV resistance

| 1L & 5L

FLEXISEAL ELASTOMERIC MEMBRANE
Flexible coating that seals pores and bridges hairline cracks.
- Excellent water resistance
- Good crack bridging
- Good alkaline & efflorescence resistance

| 1.3KG, 5KG & 20KG

WATER REPELLANT SOLUTION
Protects masonry surfaces from water penetration.
- Fight water penetration on bare cement & bricks
- UV and weather resistance
- Anti-fungus

| 5L & 20L

METAL PROTECTION

9000 ALUMINIUM PAINT
Protects metal surfaces from heat and corrosion.
- Excellent resistance to dirt penetration
- Promotes self cleaning
- Good UV resistance

| 1L & 5L

EXTERIOR INTERIOR

2K THINNER 01

DON'T FORGET THE THINNER!

For solvent-based products, use the recommended thinner to achieve better paint flow, smoother application and easier clean-up.

COMPLETE YOUR COATING SYSTEM

A complete coating system ensures better performance, durability, and a more consistent finish.
Follow the recommend system for the best results.

100% Build the Right Coating System for Your Surface

EXTERIOR WALLS



8100 WEATHERBOND® SEALER
(1 coat)

\+

EXTERIOR PRODUCT RANGE
(2 coats)

INTERIOR WALLS



8200 PREMIUM INTERIOR SEALER
(1 coat)

\+



INTERIOR PRODUCT RANGE
(2 coats)

WOOD & METAL (SOLID COATING)

WATER-BASED



HYDRO WOOD & METAL PRIMER
(1 coat)

\+



HYDRO FINISH
(2 coats)

or



TIMBERSHADE
(2 coats)

WOOD (SOLID COATING)

SOLVENT-BASED



9000 ALUMINIUM WOOD PRIMER
(1 coat)

\+



9000 SPEED UNDERCOAT
(1 coat)

or



ODOURLITE UNDERCOAT
(1 coat)

\+



9000 GLOSS FINISH
(2 coats)

or



ODOURLITE SOFT MATT/ GLOSS FINISH
(2 coats)

METAL (SOLID COATING)

SOLVENT-BASED



9000 SPEED UNDERCOAT
(1 coat)

or



ODOURLITE UNDERCOAT
(1 coat)

\+



9000 SPEED UNDERCOAT
(1 coat)

or



ODOURLITE UNDERCOAT
(1 coat)

\+



9000 GLOSS FINISH
(2 coats)

or



ODOURLITE SOFT MATT/ GLOSS FINISH
(2 coats)

PRODUCT SELECTOR CHART

	PRODUCT HIGHLIGHTS	PAINT TYPE	AREA	LOW ODOUR	COLOUR	PACK SIZE
SEALER (FOR WALL & CEILING SURFACES)	**8100 WEATHERBOND® SEALER** Ultimate exterior protection with excellent efflorescence & alkaline resistance. *(Colour Enhancer available in 5L only)*	WATER-BASED	Exterior	✓	White	5L, 15L
	8200 PREMIUM INTERIOR SEALER Ultimate interior protection with excellent hiding and & colour appearance. *(Colour Enhancer available in 1L only)*	WATER-BASED	Interior	✓	White	5L, 15L
	8000 EXPRESSKOTE SEALER Suitable for fresh concrete (3 days After Plastering under specific condition).	WATER-BASED	Exterior, Interior	✓	White	20L
	5100 WALL SEALER Excellent performance & promotes long lasting colours for exterior walls.	WATER-BASED	Exterior	✓	White	5L, 18L
	5200 INTERIOR SEALER Promotes better adhesion with excellent hiding on mild powdery surfaces.	WATER-BASED	Interior	✓	White	5L, 20L
	5400 EXTERIOR SEALER Protect against effects of mild alkalinity & moisture from walls.	WATER-BASED	Exterior	✓	White	5L, 18L
	5500 WALL SEALER Better protection against mild moisture, alkalinity & efflorescence.	WATER-BASED	Exterior	✓	White	5L, 18L, 20L
	3200 INTERIOR SEALER Provide good foundation for economy interior paint.	WATER-BASED	Interior	✓	White	5L, 18L
SEALER (FOR COMMON WALL PROBLEMS & ROOF)	**ECO-BOND WALL SEALER** Eco-friendly sealer specially formulated for powdery surfaces such as skim-coated & plastered ceilings.	WATER-BASED	Interior	✓	Translucent	5L, 20L
	ACRYLIC 5170 WALL SEALER Seals & promotes better adhesion for chalky & powdery surfaces, alkaline-resistant & prevent watermark for wall and roof.	SOLVENT-BASED	Exterior, Interior		White	1L, 5L, 20L
	HI-BOND WALL SEALER High performance & low odour solvent-based excellent adhesion for skim-coated surfaces, plaster ceiling & wall.	SOLVENT-BASED	Exterior, Interior	✓	White	5L, 20L
	ANTI-WHITE PATCHES WALL SEALER Block moisture and prevent white patches on wall.	SOLVENT-BASED	Interior		Translucent	5L
	ROOF PRIMER (For Solaroof System Only) Provide longer-lasting protection for residential concrete & metal roofs under normal exposure.	WATER-BASED	Exterior	✓	White	5L, 20L
PRIMER / UNDERCOAT (FOR WOOD & METAL)	**HYDRO WOOD & METAL PRIMER** Specially formulated for wood & metal with excellent anti-corrosion & adhesion performance	WATER-BASED	Exterior, Interior	✓	White	1L, 5L
	RED OXIDE PRIMER An economical anti-rust primer for iron & steel surfaces under non-immersed condition.	SOLVENT-BASED	Exterior, Interior		Reddish Brown	1L, 5L, 20L
	9000 ALUMINIUM WOOD PRIMER Excellently prevents moisture penetration & levels wood surfaces.	SOLVENT-BASED	Exterior, Interior		Metallic	5L
	9000 SPEED UNDERCOAT Fast drying & provides good hiding & build for primed metal, wood & previously painted surfaces.	SOLVENT-BASED	Exterior, Interior		White	1L, 5L, 20L
	ECONOMY UNDERCOAT Quick drying undercoat with good build.	SOLVENT-BASED	Exterior, Interior		White	1L, 5L, 20L
SPECIAL FUNCTION	**NANO CLEAN CLEAR COAT** Superior protection against dirt streak marks.	WATER-BASED	Exterior	✓	White	1L, 5L
	EASYSKIM 5000 ALL PURPOSE JOINT COMPOUND All purpose & ready-to-use skim coat to smoothen uneven wall surfaces.	WATER-BASED	Interior	✓	White	5KG, 25KG
	FUNGICIDAL WASH Effective low toxicity bacterial, fungal & algae solution to be applied prior to painting.	WATER-BASED	Exterior, Interior		Clear	4L, 20L
	FLEXISEAL ELASTOMERIC MEMBRANE Flexible paint film with excellent water resistance to cover hairline cracks & seal pores on concrete.	WATER-BASED	Exterior	✓	White, Grey	1.3KG, 5KG, 20KG
	TILE PRIMER Promotes excellent adhesion for glazed tiles, glazed brickwork & smooth concrete floor.	WATER-BASED	Exterior, Interior		White	2.5L, 5L
	WATER REPELLENT SOLUTION (for bare brick / cement surfaces) Provides excellent waterproof performance that protects while maintaining the bare look of bricks & cement.	SOLVENT-BASED	Exterior		Clear	5L, 20L
	SLATE FINISH Clear or tinted translucent coat of protection that enhances the appearance of slates, stones or imprint concretes.	SOLVENT-BASED	Exterior, Interior		Clear, Translucent	1L, 5L, 15L

Exterior Interior

IMPORTANT NOTES:
1. Recommended no. of coats for Sealers and Primers: Apply 1 coat directly onto intended surface / substrate for better performance. Sealer and primer to be applied BEFORE intermediate and / or topcoat.
2. For more information, please visit www.nipponpaint.com.my to refer to/download the respective Technical Data Sheet (TDS).

Find Your Nearest Dealer

Get expert advice and the right products for your project at your nearest Nippon Paint dealer.

SCAN
TO FIND OUT YOUR
NEAREST DEALER STORES





Visualise Your Perfect Finish

Explore colours and visualise your final paint result with our i-Colour Visualizer before you begin your painting project.

SCAN
FOR MORE INFO

Total Compatible Bare-to-Finish Solution

Discover recommended coating systems from surface preparation to finishing for better performance and long-lasting results.

SCAN
FOR MORE INFO



NIPPON PAINT

Nippon Paint (Malaysia) Sdn. Bhd. (196701000578)
Lot I-17, Taman Perindustrian Subang Utama, Jalan SU 4,
40300 Shah Alam, Selangor Darul Ehsan, Malaysia.
1-800-88-2663 customercare@nipponpaint.com.my facebook.com/nipponpaintmalaysia
nipponpaint.com.my | professional.nipponpaint.com.my